

**Table S1. Characteristics of all included survey respondents. Results presented as n (%). AHP: allied health professional.**

	UK (n=139)	EU (n=210)	US (n=58)	Total (n=407)
<i>Job title</i>				
Consultant	82 (59.0)	178 (84.8)	40 (69.0)	300 (73.7)
Doctor-in-training	16 (11.5)	17 (8.1)	2 (3.4)	35 (8.6)
Nurse or AHP	41 (29.5)	15 (7.1)	16 (27.6)	72 (17.7)
<i>Age in years</i>				
<35	26 (18.7)	39 (18.6)	8 (13.8)	73 (17.9)
35-50	66 (47.5)	105 (50.0)	23 (39.7)	194 (47.7)
>50	47 (33.8)	66 (31.4)	27 (46.6)	140 (34.4)
<i>Gender</i>				
Male	35 (25.2)	100 (47.6)	27 (46.6)	162 (39.8)
Female	98 (70.5)	106 (50.5)	30 (51.7)	234 (57.5)
Non-binary	6 (4.3)	4 (1.9)	1 (1.7)	22 (2.7)
<i>Ethnicity</i>				
White	109 (78.4)	194 (92.3)	38 (65.5)	341 (83.8)
All other groups	30 (21.6)	16 (7.6)	20 (34.5)	66 (16.2)

**Table S2. Summary of responses to research engagement questions from all UK survey respondents. Results presented as n (%). AHP: allied health professional.**

	Job title			Age in years			Gender			Ethnicity		Total (n=139)
	Consultant (n=82)	Doctor-in-training (n=16)	Nurse or AHP (n=41)	<35 (n=26)	35-50 (n=66)	>50 (n=47)	Male (n=35)	Female (n=98)	Non-binary (n=6)	White (n=109)	All other groups (n=30)	
<i>Have you contributed to monkeypox research?</i>												
Yes	16 (19.5)	3 (18.8)	2 (4.9)	4 (15.4)	13 (19.7)	4 (8.5)	12 (34.3)	7 (7.1)	2 (33.3)	17 (15.6)	4 (13.3)	21 (15.1)
No	66 (80.5)	13 (81.2)	39 (95.1)	22 (84.6)	53 (80.3)	43 (91.5)	23 (65.7)	91 (92.9)	4 (66.7)	92 (84.4)	7 (23.3)	118 (84.9)
<i>How would you describe your area of research focus?</i>												
Clinical	18 (22.0)	3 (18.8)	0 (0.0)	4 (15.4)	13 (19.7)	4 (8.5)	11 (31.4)	8 (8.2)	2 (33.3)	17 (15.6)	4 (13.3)	21 (15.1)
Epidemiology	4 (4.9)	1 (6.2)	0 (0.0)	1 (3.8)	4 (6.1)	0 (0.0)	3 (8.6)	1 (1.0)	1 (16.7)	3 (2.8)	2 (6.7)	5 (3.6)
Public health	2 (2.4)	0 (0.0)	2 (4.9)	0 (0.0)	4 (6.1)	0 (0.0)	1 (2.9)	3 (3.1)	0 (0.0)	4 (3.7)	0 (0.0)	4 (2.9)
Basic Science	1 (1.2)	0 (0.0)	2 (4.9)	0 (0.0)	2 (3.0)	1 (2.1)	2 (5.7)	1 (1.0)	0 (0.0)	2 (1.8)	1 (3.3)	3 (2.2)
<i>Have you been involved with monkeypox policy work?</i>												
Yes	29 (35.4)	4 (25.0)	9 (22)	5 (19.2)	24 (36.4)	13 (27.7)	16 (45.7)	24 (24.5)	2 (33.3)	37 (33.9)	5 (16.7)	42 (30.2)
No	53 (64.6)	12 (75.0)	32 (78)	21 (80.8)	42 (63.6)	44 (72.3)	19 (54.3)	70 (71.4)	4 (66.7)	72 (66.1)	25 (83.3)	97 (69.8)
<i>Did you attend briefing meetings and calls with public health agencies?</i>												
National	26 (31.7)	1 (6.2)	6 (14.6)	0 (0.0)	21 (31.8)	12 (25.5)	12 (34.3)	20 (20.4)	1 (16.7)	28 (25.7)	5 (16.7)	22 (23.7)
Regional	43 (52.4)	0 (0.0)	7 (17.1)	1 (3.8)	28 (42.4)	21 (44.7)	16 (45.7)	33 (33.7)	1 (16.7)	42 (38.5)	8 (26.7)	50 (36.0)
Local e.g. your clinic/service facility	65 (79.3)	9 (56.2)	30 (73.2)	20 (76.6)	49 (74.2)	35 (74.5)	29 (82.9)	70 (71.4)	5 (83.3)	84 (77.1)	20 (66.7)	104 (74.8)
International e.g. WHO, ECDC	3 (3.7)	0 (0.0)	1 (2.4)	0 (0.0)	2 (3.0)	2 (4.3)	1 (2.9)	3 (3.1)	0 (0.0)	4 (3.7)	0 (0.0)	4 (2.9)
None	9 (11.0)	7 (43.8)	9 (22.0)	5 (19.2)	11 (16.7)	9 (19.1)	4 (11.4)	20 (20.4)	1 (16.7)	18 (16.5)	7 (23.3)	25 (18.0)
<i>Contributed to monkeypox research</i>												
	Job title	Age in years			Gender			Ethnicity		Total (n=21)		
	Consultant (n=16)	Doctor-in-training (n=3)	Nurse or AHP (n=2)	<35 (n=4)	35-50 (n=13)	>50 (n=4)	Male (n=12)	Female (n=7)	Non-binary (n=2)	White (n=17)	All other groups (n=4)	
<i>How much has your other research been affected as a result of your monkeypox research?</i>												
Not at all	7 (43.8)	1 (33.3)	1 (50.0)	2 (50.0)	4 (30.8)	3 (75.0)	5 (41.7)	4 (57.1)	0 (0.0)	7 (41.2)	2 (50.0)	9 (42.9)
Suffered slightly	6 (37.5)	1 (33.3)	1 (50.0)	1 (25.0)	6 (46.2)	1 (25.0)	5 (41.7)	2 (28.6)	1 (50.0)	7 (41.2)	1 (25.0)	8 (38.1)
By a moderate amount	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	1 (5.9)	0 (0.0)	1 (4.8)
Considerably suffered	2 (12.5)	1 (33.3)	0 (0.0)	1 (25.0)	2 (15.4)	0 (0.0)	1 (8.3)	1 (14.3)	1 (50.0)	2 (11.8)	1 (25.0)	3 (14.3)
<i>Have you published or submitted any research to a journal on monkeypox during this outbreak?</i>												
Yes	10 (62.5)	0 (0.0)	1 (50.0)	1 (25.0)	8 (61.5)	2 (50.0)	8 (66.7)	3 (42.9)	0 (0.0)	10 (58.8)	1 (25.0)	11 (52.4)
No	6 (37.5)	3 (100.0)	1 (50.0)	3 (75.0)	5 (38.5)	2 (50.0)	4 (33.3)	4 (57.1)	2 (100.0)	7 (41.2)	3 (75.0)	10 (47.6)
<i>Have you obtained grant money for research on monkeypox?</i>												
Yes	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	1 (5.9)	0 (0.0)	1 (4.8)
No	15 (93.8)	3 (100.0)	2 (100.0)	4 (0.0)	12 (92.3)	4 (100.0)	11 (91.7)	7 (100.0)	2 (100.0)	16 (94.1)	4 (100.0)	20 (95.2)
<i>Have you been asked to be involved with any media outlets to do with monkeypox?</i>												
Yes	8 (50.0)	0 (0.0)	0 (0.0)	1 (25.0)	6 (46.2)	1 (25.0)	6 (50.0)	2 (28.6)	0 (0.0)	7 (41.2)	1 (25.0)	8 (38.1)
No	8 (50.0)	3 (100.0)	2 (100.0)	3 (75.0)	7 (53.8)	3 (75.0)	6 (50.0)	5 (71.4)	2 (100.0)	10 (58.8)	3 (75.0)	13 (61.9)
<i>Published or submitted any research</i>												
	Job title	Age in years			Gender			Ethnicity		Total (n=11)		
	Consultant (n=10)	Doctor-in-training (n=0)	Nurse or AHP (n=1)	<35 (n=1)	35-50 (n=8)	>50 (n=2)	Men (n=8)	Women (n=3)	Non-binary (n=0)	White (n=10)	All other groups (n=1)	
<i>Did you collaborate with colleagues?</i>												
In your own service	4 (40)	-	0 (0.0)	0 (0.0)	2 (25.0)	2 (100.0)	3 (37.5)	1 (33.3)	-	4 (40)	0 (0.0)	4 (36.4)


In your own country	2 (20.0)	-	0 (0.0)	0 (0.0)	2 (25.0)	0 (0.0)	2 (25.0)	0 (0.0)	-	2 (20.0)	0 (0.0)	2 (18.2)
In your own region	1 (10)	-	1 (100.0)	1 (100.0)	1 (12.5)	0 (0.0)	0 (0.0)	2 (66.7)	-	2 (20.0)	0 (0.0)	2 (18.2)
Globally	3 (30)	-	0 (0.0)	0 (0.0)	3 (37.5)	0 (0.0)	3 (37.5)	0 (0.0)	-	2 (20.0)	1 (100.0)	3 (27.3)
<i>What was your role within the research process?</i>												
Collected data and named author	6 (60.0)	-	1 (100.0)	1 (100.0)	6 (75.0)	0 (0.0)	4 (50.0)	3 (100.0)	-	6 (60.0)	1 (100.0)	7 (63.6)
Collected data and part of a writing group	3 (30)	-	0 (0.0)	0 (0.0)	2 (25.0)	1 (50.0)	3 (37.5)	0 (0.0)	-	3 (30)	0 (0.0)	3 (27.3)
Collected data only	1 (10)	-	0 (0.0)	0 (0.0)	0 (0.0)	1 (50.0)	1 (12.5)	0 (0.0)	-	1 (10)	0 (0.0)	1 (9.1)
Designed the study	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)

**Table S3. Summary of responses to research engagement questions from all EU survey respondents. Results presented as n (%). AHP: allied health professional.**

	Job title			Age in years			Gender			Ethnicity		Total (n=210)
	Consultant (n=178)	Doctor-in-training (n=17)	Nurse or AHP (n=15)	<35 (n=39)	35-50 (n=105)	>50 (n=66)	Male (n=100)	Female (n=106)	Non-binary (n=4)	White (n=194)	All other groups (n=16)	
<i>Have you contributed to monkeypox research?</i>												
Yes	61 (34.3)	9 (52.9)	7 (46.7)	22 (56.4)	29 (27.6)	26 (39.4)	45 (45)	31 (29.2)	1 (25.0)	68 (35.1)	9 (56.2)	77 (36.7)
No	117 (65.7)	8 (47.1)	8 (53.3)	17 (43.6)	76 (72.4)	40 (60.6)	55 (55)	75 (70.8)	3 (75.0)	126 (64.9)	7 (43.8)	133 (63.3)
<i>How would you describe your area of research focus?</i>												
Clinical	56 (31.5)	9 (52.9)	5 (33.3)	21 (53.8)	25 (23.8)	24 (36.4)	40 (40)	29 (27.4)	1 (25.0)	61 (31.4)	9 (56.2)	70 (33.3)
Epidemiology	25 (14.0)	2 (11.8)	3 (20.0)	8 (20.5)	13 (12.4)	9 (13.6)	22 (22)	8 (7.5)	0 (0.0)	28 (14.4)	2 (12.5)	30 (14.3)
Public health	13 (7.3)	0 (0.0)	1 (6.7)	3 (7.7)	6 (5.7)	5 (7.6)	11 (11)	3 (2.8)	0 (0.0)	12 (6.2)	2 (12.5)	14 (6.7)
Basic Science	4 (2.2)	0 (0.0)	0 (0.0)	1 (2.6)	1 (1.0)	2 (3.0)	3 (3)	1 (0.9)	0 (0.0)	4 (2.1)	0 (0.0)	4 (1.9)
<i>Have you been involved with monkeypox policy work?</i>												
Yes	66 (37.1)	4 (23.5)	7 (46.7)	11 (28.2)	38 (36.2)	28 (42.4)	42 (42)	34 (32.1)	1 (25.0)	72 (37.1)	5 (31.2)	77 (36.7)
No	112 (62.9)	13 (76.5)	8 (53.3)	28 (71.8)	67 (63.8)	38 (57.6)	58 (58)	72 (67.9)	3 (75.0)	122 (62.9)	11 (68.8)	133 (63.3)
<i>Did you attend briefing meetings and calls with public health agencies?</i>												
National	45 (25.3)	2 (11.8)	3 (20.0)	2 (5.1)	29 (27.6)	19 (28.8)	25 (25.0)	23 (21.7)	2 (50.0)	47 (24.2)	3 (18.8)	50 (23.8)
Regional	63 (35.4)	4 (23.5)	1 (6.7)	11 (28.2)	34 (32.4)	23 (34.8)	35 (35.0)	31 (29.2)	2 (50.0)	61 (31.4)	7 (43.8)	68 (32.3)
Local e.g. your clinic/service facility	98 (55.1)	12 (70.6)	9 (60.0)	28 (71.8)	54 (51.4)	37 (56.1)	57 (57.0)	62 (58.5)	0 (0.0)	110 (56.7)	9 (56.2)	119 (56.7)
International e.g. WHO, ECDC	19 (10.7)	0 (0.0)	3 (20.0)	3 (7.7)	12 (11.4)	7 (10.6)	9 (9.0)	12 (11.3)	1 (25.0)	19 (9.8)	3 (18.8)	22 (10.5)
None	46 (25.8)	3 (17.6)	4 (26.7)	6 (15.4)	28 (26.7)	19 (28.8)	23 (23.0)	30 (28.3)	0 (0.0)	51 (26.3)	2 (12.5)	53 (25.2)
<i>Contributed to monkeypox research</i>												
	Job title	Age in years			Gender			Ethnicity		Total (n=77)		
	Consultant (n=61)	Doctor-in-training (n=9)	Nurse or AHP (n=7)	<35 (n=22)	35-50 (n=29)	>50 (n=26)	Male (n=45)	Female (n=31)	Non-binary (n=1)	White (n=68)	All other groups (n=9)	
<i>How much has your other research been affected as a result of your monkeypox research?</i>												
Not at all	16 (26.2)	4 (44.4)	3 (42.9)	8 (36.4)	4 (13.8)	11 (42.3)	15 (33.3)	8 (25.8)	0 (0.0)	22 (32.4)	1 (11.1)	23 (29.9)
Suffered slightly	17 (27.9)	3 (33.3)	3 (42.9)	5 (22.7)	12 (41.4)	6 (23.1)	12 (26.7)	10 (32.3)	1 (100.0)	20 (29.4)	3 (33.3)	23 (29.9)
By a moderate amount	13 (21.3)	2 (22.2)	0 (0.0)	5 (22.7)	5 (17.2)	5 (19.2)	10 (22.2)	5 (16.1)	0 (0.0)	12 (17.6)	3 (33.3)	15 (19.5)
Considerably suffered	13 (21.3)	0 (0.0)	1 (14.3)	4 (18.2)	6 (20.7)	4 (15.4)	7 (15.6)	7 (22.6)	0 (0.0)	12 (17.6)	2 (22.2)	14 (18.2)
Extremely suffered	2 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.9)	0 (0.0)	1 (2.2)	1 (3.2)	0 (0.0)	2 (2.9)	0 (0.0)	2 (2.6)
<i>Have you published or submitted any research to a journal on monkeypox during this outbreak?</i>												
Yes	35 (57.4)	5 (55.6)	3 (42.9)	13 (59.1)	16 (55.2)	14 (53.8)	26 (57.8)	16 (51.6)	1 (100.0)	36 (52.9)	7 (77.8)	43 (55.8)
No	26 (42.6)	4 (44.4)	4 (57.1)	9 (40.9)	13 (44.8)	12 (46.2)	19 (42.2)	15 (48.4)	0 (0.0)	32 (47.1)	2 (22.2)	34 (44.2)
<i>Have you obtained grant money for research on monkeypox?</i>												
Yes	0 (0.0)	1 (11.1)	1 (14.3)	1 (4.5)	1 (3.4)	0 (0.0)	0 (0.0)	1 (3.2)	1 (100.0)	0 (0.0)	2 (22.2)	2 (2.6)
No	57 (93.4)	8 (88.9)	5 (71.4)	20 (90.1)	26 (89.7)	24 (92.3)	44 (97.8)	26 (83.9)	0 (0.0)	63 (92.6)	7 (77.8)	70 (90.9)
Applied but not heard	4 (6.6)	0 (0.0)	1 (14.3)	1 (4.5)	2 (6.9)	2 (3.8)	1 (8.9)	4 (12.9)	0 (0.0)	5 (7.4)	0 (0.0)	5 (6.4)
<i>Have you been asked to be involved with any media outlets to do with monkeypox?</i>												
Yes	28 (45.9)	2 (22.2)	2 (28.6)	5 (22.7)	18 (62.1)	9 (34.6)	22 (48.9)	9 (29.0)	1 (100.0)	28 (41.2)	4 (44.4)	32 (41.6)
No	33 (54.1)	7 (77.8)	5 (71.4)	17 (77.3)	11 (37.9)	17 (65.4)	23 (51.1)	22 (71.0)	0 (0.0)	40 (58.8)	5 (55.6)	45 (58.4)
<i>Published or submitted any research</i>												
	Job title	Age in years			Gender			Ethnicity		Total (n=43)		
	Consultant (n=35)	Doctor-in-training (n=5)	Nurse or AHP (n=3)	<35 (n=13)	35-50 (n=16)	>50 (n=14)	Men (n=26)	Women (n=16)	Non-binary (n=1)	White (n=36)	All other groups (n=7)	

<i>Did you collaborate with colleagues?</i>												
In your own service	11 (31.4)	2 (40.0)	2 (66.7)	6 (46.2)	6 (37.5)	3 (21.4)	9 (34.6)	6 (37.5)	0 (0.0)	11 (30.6)	4 (57.1)	15 (34.8)
In your own country	12 (34.3)	0 (0.0)	1 (33.3)	3 (23.1)	4 (25.0)	6 (42.9)	7 (26.9)	6 (37.5)	0 (0.0)	12 (33.3)	1 (14.3)	13 (30.2)
In your own region	4 (11.4)	3 (60.0)	0 (0.0)	2 (15.4)	4 (25.0)	1 (7.1)	4 (15.4)	2 (12.5)	1 (100.0)	6 (16.7)	1 (14.3)	7 (16.3)
Globally	8 (22.9)	0 (0.0)	0 (0.0)	2 (15.4)	2 (12.5)	4 (28.6)	6 (23.1)	2 (12.5)	0 (0.0)	7 (19.4)	1 (14.3)	8 (18.6)
<i>What was your role within the research process?</i>												
Collected data and named author	15 (42.9)	1 (20.0)	0 (0.0)	5 (38.5)	4 (25.0)	7 (50.0)	12 (46.2)	4 (25.0)	0 (0.0)	14 (38.9)	2 (28.6)	16 (37.2)
Collected data and part of a writing group	13 (37.1)	2 (40.0)	3 (100.0)	7 (53.8)	7 (43.8)	4 (28.6)	7 (26.9)	11 (68.8)	0 (0.0)	16 44.4)	2 (28.6)	18 (41.9)
Collected data only	2 (5.7)	1 (20.0)	0 (0.0)	0 (0.0)	1 (6.3)	2 (14.3)	2 (7.7)	0 (0.0)	1 (100.0)	1 (2.8)	2 (28.6)	3 (7.0)
Designed the study	5 (14.3)	1 (20.0)	0 (0.0)	1 (7.7)	4 (25.0)	1 (7.1)	5 (19.2)	1 (6.3)	0 (0.0)	5 (13.9)	1 (14.3)	6 (14.0)

**Figure S1. Barchart comparing research active and not research active EU survey participants showing proportions by demographic characteristics, workplace, involvement in policy and public health agency (PHA) work.**



**Table S4. Summary of responses to research engagement questions from all US survey respondents. Results presented as n (%). AHP: allied health professional.**

	Job title			Age in years			Gender			Ethnicity		Total (n=58)
	Consultant (n=40)	Doctor-in-training (n=2)	Nurse or AHP (n=16)	<35 (n=8)	35-50 (n=23)	>50 (n=27)	Male (n=27)	Female (n=30)	Non-binary (n=1)	White (n=38)	All other groups (n=20)	
<i>Have you contributed to monkeypox research?</i>												
Yes	16 (40.0)	1 (50.0)	5 (31.2)	4 (50.0)	11 (47.8)	7 (25.9)	9 (33.3)	13 (43.3)	0 (0.0)	15 (39.5)	7 (35.0)	22 (37.9)
No	24 (60.0)	1 (50.0)	11 (68.8)	4 (50.0)	12 (52.2)	20 (74.1)	18 (66.7)	17 (56.7)	1 (100.0)	23 (60.5)	13 (65.0)	36 (62.1)
<i>How would you describe your area of research focus?</i>												
Clinical	16 (40.0)	1 (50.0)	5 (31.2)	4 (50.0)	11 (47.8)	7 (25.9)	9 (33.3)	13 (43.3)	0 (0.0)	15 (39.5)	7 (35.0)	22 (37.5)
Epidemiology	7 (17.5)	0 (0.0)	0 (0.0)	1 (12.5)	3 (13.0)	3 (11.1)	1 (3.7)	6 (20.0)	0 (0.0)	4 (10.5)	3 (15.0)	7 (12.1)
Public health	2 (5.0)	0 (0.0)	1 (6.2)	0 (0.0)	2 (8.7)	1 (3.7)	0 (0.0)	3 (10.0)	0 (0.0)	3 (7.9)	0 (0.0)	3 (5.2)
Basic Science	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.3)	0 (0.0)	0 (0.0)	1 (3.3)	0 (0.0)	0 (0.0)	1 (5.0)	1 (1.7)
<i>Have you been involved with monkeypox policy work?</i>												
Yes	14 (35.0)	0 (0.0)	4 (25.0)	2 (25.0)	7 (30.4)	9 (33.3)	9 (33.3)	9 (30.0)	0 (0.0)	12 (31.6)	6 (30.0)	18 (31.0)
No	26 (65.0)	2 (100.0)	12 (75.0)	6 (75.0)	26 (69.6)	18 (66.7)	18 (66.7)	21 (70.0)	1 (100.0)	26 (68.4)	14 (70.0)	40 (69.0)
<i>Did you attend briefing meetings and calls with public health agencies?</i>												
National	12 (30.0)	0 (0.0)	2 (12.5)	2 (25.0)	5 (21.7)	7 (25.9)	7 (25.9)	7 (23.3)	0 (0.0)	6 (15.8)	8 (40.0)	14 (24.1)
Regional	14 (35.0)	0 (0.0)	6 (37.5)	1 (12.5)	7 (30.4)	12 (44.4)	6 (22.2)	14 (46.7)	0 (0.0)	15 (39.5)	5 (25.0)	20 (34.5)
Local e.g. your clinic/service facility	25 (62.5)	2 (100.0)	11 (68.8)	7 (87.5)	19 (82.6)	12 (44.4)	16 (59.3)	22 (73.3)	0 (0.0)	24 (63.2)	14 (70.0)	38 (65.5)
International e.g. WHO, ECDC	5 (12.5)	0 (0.0)	0 (0.0)	1 (12.5)	1 (4.3)	3 (11.1)	3 (11.1)	2 (6.7)	0 (0.0)	2 (5.3)	3 (15.0)	5 (8.6)
None	9 (22.5)	0 (0.0)	5 (31.2)	1 (12.5)	4 (17.4)	9 (33.3)	8 (29.6)	5 (16.7)	1 (100.0)	10 (26.3)	4 (20.0)	14 (24.1)
Contributed to monkeypox research	Job title			Age in years			Gender			Ethnicity		Total (n=22)
	Consultant (n=16)	Doctor-in-training (n=1)	Nurse or AHP (n=5)	<35 (n=4)	35-50 (n=11)	>50 (n=7)	Male (n=9)	Female (n=13)	Non-binary (n=0)	White (n=15)	All other groups (n=7)	
<i>How much has your other research been affected as a result of your monkeypox research?</i>												
Not at all	7 (43.8)	0 (0.0)	1 (20.0)	2 (50.0)	3 (27.3)	3 (42.9)	3 (33.3)	5 (38.5)	-	6 (40.0)	2 (28.6)	8 (36.3)
Suffered slightly	7 (43.8)	1 (100.0)	2 (40.0)	2 (50.0)	4 (36.4)	4 (57.1)	4 (44.4)	6 (46.2)	-	7 (46.7)	3 (42.9)	10 (45.5)
By a moderate amount	1 (6.3)	0 (0.0)	2 (40.0)	0 (0.0)	3 (27.3)	0 (0.0)	2 (22.2)	1 (7.7)	-	1 (6.7)	2 (28.6)	3 (13.6)
Considerably suffered	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)
Extremely suffered	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (9.1)	0 (0.0)	0 (0.0)	1 (7.7)	-	1 (6.7)	0 (0.0)	1 (4.5)
<i>Have you published or submitted any research to a journal on monkeypox during this outbreak?</i>												
Yes	5 (31.3)	1 (100.0)	0 (0.0)	2 (50.0)	2 (18.2)	2 (28.6)	1 (11.1)	5 (38.5)	-	4 (26.7)	2 (28.6)	6 (27.3)
No	11 (68.8)	0 (0.0)	5 (100.0)	2 (50.0)	9 (81.8)	5 (71.4)	8 (88.9)	8 (61.5)	-	11 (73.3)	5 (71.4)	16 (72.7)
<i>Have you obtained grant money for research on monkeypox?</i>												
Yes	4 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (27.3)	1 (14.3)	2 (22.2)	2 (15.4)	-	2 (13.3)	2 (28.6)	4 (18.1)
No	10 (62.5)	1 (100.0)	5 (100.0)	4 (100.0)	8 (72.8)	4 (57.1)	6 (66.7)	10 (76.9)	-	12 (80.0)	4 (57.1)	16 (72.7)
Applied but not heard	2 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (28.6)	1 (11.1)	1 (7.7)	-	1 (6.7)	1 (14.3)	2 (9.1)
<i>Have you been asked to be involved with any media outlets to do with monkeypox?</i>												
Yes	10 (62.5)	0 (0.0)	0 (0.0)	0 (0.0)	5 (45.5)	5 (71.4)	4 (44.4)	6 (46.2)	-	7 (46.7)	3 (42.9)	10 (45.5)
No	6 (37.5)	1 (100.0)	5 (100.0)	4 (100.0)	6 (54.5)	2 (28.6)	5 (55.6)	7 (53.8)	-	8 (53.3)	4 (57.1)	12 (54.5)
Published or submitted any research	Job title			Age in years			Gender			Ethnicity		Total (n=6)
	Consultant (n=5)	Doctor-in-training (n=1)	Nurse or AHP (n=0)	<35 (n=2)	35-50 (n=2)	>50 (n=2)	Men (n=1)	Women (n=5)	Non-binary (n=0)	White (n=4)	All other groups (n=2)	

<i>Did you collaborate with colleagues?</i>												
In your own service	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)
In your own country	3 (60.0)	1 (100.0)	-	2 (100.0)	1 (50.0)	1 (50.0)	1 (100.0)	3 (60.0)	-	3 (75.0)	1 (50.0)	4 (66.7)
In your own region	1 (20.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	1 (50.0)	0 (0.0)	1 (20.0)	-	1 (25.0)	0 (0.0)	1 (16.7)
Globally	1 (20.0)	0 (0.0)	-	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (20.0)	-	0 (0.0)	1 (50.0)	1 (16.7)
<i>What was your role within the research process?</i>												
Collected data and named author	3 (60.0)	0 (0.0)	-	0 (0.0)	2 (100.0)	1 (50.0)	0 (0.0)	3 (60.0)	-	1 (25.0)	2 (100.0)	3 (50.0)
Collected data and part of a writing group	1 (20.0)	1 (100.0)	-	1 (50.0)	0 (0.0)	1 (50.0)	0 (0.0)	2 (40.0)	-	2 (50.0)	0 (0.0)	2 (33.3)
Collected data only	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	-	0 (0.0)	0 (0.0)	0 (0.0)
Designed the study	1 (20.0)	0 (0.0)	-	1 (50.0)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)	-	1 (25.0)	0 (0.0)	1 (16.7)



**Figure S2. Barchart comparing research active and not research active US survey participants showing proportions by demographic characteristics, workplace, involvement in policy and public health agency (PHA) work.**

